

Message

From: Nonresponsive based on revised scope
Sent: 10/7/2022 4:52:36 PM
To: Wagner, Christine [Wagner.Christine@epa.gov]
Subject: RE: Shiloh Church Update
Attachments: Figure2_ResWells_11x17L.pdf; Figure2_ResWells_PII_11x17L.pdf; Figure3_DeniedAccess_11x17L.pdf; Figure3_DeniedAccess_PII_11x17L (002).pdf

Afternoon Chris,

Please see the attached figures.

We have amended the Figure 2's (confidential and public releasable) and created Figure 3's (confidential and public releasable) for identifying properties that have not granted EPA access onto their properties.

Nonresponsive based on revised scope

Tetra Tech | *Complex World, Clear Solutions™* | EMI Northeast Operations
661 Andersen Dr Ste. 200 Pittsburgh, PA 15220 | tetratech.com

This message, including any attachments, may include privileged, confidential and/or inside information. Any distribution or use of this communication by anyone other than the intended recipient is strictly prohibited and may be unlawful. If you are not the intended recipient, please notify the sender by replying to this message and then delete it from your system.

From: Wagner, Christine <Wagner.Christine@epa.gov>
Sent: Friday, October 7, 2022 11:22 AM
To: Nonresponsive based on revised scope
Subject: Automatic reply: Shiloh Church Update

⚠ CAUTION: This email originated from an external sender. Verify the source before opening links or attachments. ⚠

I am out of the office on field assignment. I will be checking email after normal business hours. If you need to reach me, please telephone me at 804-337-3049

Thank you and please stay safe,
Chris Wagner, OSC
EPA Region 3